

HOSE & TUBE CLEANERS PROJECTILES

EC Flexible 060



Technical data

#	Rec. for inner diameter (mm)	Rec. for inner diameter (inch)	Number per package (stone)
AB-04-060 / XL	2 - 3	-	100 / 2,000
AB-05-060 / XL	2.5 - 4	1/8	100 / 2,000
AB-07-060 / XL	3.5 - 5	3/16	100 / 2,000
AB-08-060 / XL	4 - 6	-	100 / 2,000
AB-09-060 / XL	4.5 - 7	1/4	100 / 2,000
AB-10-060 / XL	5 - 8	-	100 / 2,000
AB-12-060 / XL	6 - 9	5/16	100 / 2,000
AB-14-060 / XL	7 - 11	3/8	100 / 2,000
AB-16-060 / XL	8 - 12	-	100 / 2,000
AB-18-060 / XL	9 - 14	1/2	100 / 2,000
AB-20-060 / XL	10 - 15	-	100 / 2,000
AB-22-060 / XL	11 - 17	5/8	50 / 1,000
AB-24-060 / XL	12 - 18	-	50 / 1,000
AB-26-060 / XL	13 - 19	3/4	50 / 1,000
AB-28-060 / XL	14 - 21	-	50 / 1,000
AB-30-060 / XL	15 - 23	-	50 / 1,000
AB-33-060 / XL	16.5 - 25	1	50 / 1,000
AB-35-060 / XL	17.5 - 27	-	20 / 250
AB-38-060 / XL	19 - 28	-	20 / 250
AB-40-060 / XL	20 - 31	1 1/4	20 / 250
AB-45-060 / XL	22 - 35	-	20 / 250
AB-48-060 / XL	24 - 37	-	20 / 250
AB-50-060 / XL	25 - 40	1 1/2	20 / 200
AB-55-060 / XL	27 - 45	-	20 / 200
AB-60-060 / XL	30 - 50	Cobra 2	20 / 200
AB-65-060 / XL	32 - 55	2	20 / 100
AB-70-060	42 - 60	2 1/4	10
AB-75-060	45 - 65	2 1/2	10

#	Rec. for inner diameter (mm)	Rec. for inner diameter (inch)	Number per package (stone)
AB-80-060 / XL	48 - 70	2 3/4	10
AB-85-060 / XL	51 - 75	3	10
AB-90-060 / XL	54 - 80	3	10
AB-95-060 / XL	57 - 85	3 1/4	10
AB-100-060 / XL	70 - 90	3 1/4	5
AB-105 - 060 / XL	73 - 95	3 1/2	5
AB-110-060 / XL	77 - 100	3 3/4	5
AB-115-060 / XL	80 - 105	4	5
AB-120-060 / XL	84 - 110	4	5
AB-125-060 / XL	87 - 115	4 1/4	5
AB-130-060 / XL	91 - 120	4 1/2	5
AB-140-060 / XL	98 - 130	4 3/4	5
AB-150-050 / XL	105 - 140	5	5
AB-160-060 / XL	112 - 150	5 1/2	5
AB-170-060 / XL	119 - 160	6	5
AB-180-060 / XL	126 - 170	6 1/2	5

EC FLEXIBLE 060

- Made of soft, flexible polyurethane in quality 060. The material is homogeneous and does not release fibres
- Meets cleanliness code of particulate contamination ISO 4406 and ISO 4407 down to ISO 15/13/10 with a projectile shot from each direction
- Withstands 50% compression
- Free from PVC, PTFE and Silicone
- Handles any bends, spirals and greater reductions. Also used as coupling projectile
- When selecting the size of the projectile, it is our recommendation to use a projectile that is 20% larger than the inner diameter of the hose or tube. Alternatively, make your own evaluation of the best possible results
- Sizes from 2mm to 170mm

Standard 400



Abrasive



Grinding



STANDARD 400

- Made of medium-hard, flexible polyurethane. The material is homogeneous and does not release fibres
- Withstands 50% compression
- Free from PVC, PTFE and Silicone
- Handles any bends, spirals and smaller reductions. Also used as coupling projectile
- When selecting the size of the projectile, it is our recommendation to use a projectile that is 20% larger than the inner diameter of the hose or tube. Alternatively, make your own evaluation of the best possible results
- Sizes from 2mm to 160mm

SUPER STANDARD

- Made of medium-hard, super flexible polyurethane with high density. The material is homogeneous and does not release fibres
- Used for pipes and tubes without reductions. For cleaning substances with high viscosity
- Handles 90-degree bends and loops. Withstands 20% compression
- Free from PVC, PTFE and Silicone
- When selecting the size of the projectile, it is our recommendation to use a projectile that is 20% larger than the inner diameter of the hose or tube. Alternatively, make your own evaluation of the best possible results
- Sizes 4mm to 130mm

ABRASIVE

- An abrasive projectile for tubes
- Made of medium-hard, high density polyurethane with a grinding surface at the top
- The projectile is suitable for removing rust and oxide scale from metal tubes. Often used to clean steam pipes, cooling pipes and to remove soot in pipelines
- Withstands 5% compression
- Free from PVC, PTFE and silicone
- When selecting the size of the projectile, it is our recommendation to use a projectile that is 5% larger than the inner diameter of the hose or tube. Alternatively, make your own evaluation of the best possible results
- Sizes from 4mm to 130mm

GRINDING

- Made of medium-hard, flexible polyurethane with a rugged surface
- Used for heavy duty cleaning of metal tubing to remove pitting, scale and more. Not suitable for sharp bends, best suited for straight pipes and smooth bends
- Withstands 5% compression
- Free from PVC, PTFE and silicone
- When selecting the size of the projectile, it is our recommendation to use a projectile that is 5% larger than the inner diameter of the hose or tube. Alternatively, make your own evaluation of the best possible results
- Sizes from 5mm to 150mm